Masport®

PRESIDENT®

OUTDOOR POWER EQUIPMENT

2023/24 NEW ZEALAND

With 113 years of innovation, Masport has grown to become a market leader for outdoor garden and lifestyle products. Synonymous with quality and reliability, the brand has been trusted by Kiwis for generations.

Masport is sold in over 45 countries worldwide, and continues to develop outstanding products.

EVERY LAWN IS DIFFERENT

Which is why Masport has developed a comprehensive range of lawn and garden equipment. Masport mowers have been designed to meet the needs of the heaviest lawn conditions and the longest mowing times, they are built to last.

MARKET LEADING CONSUMER WARRANTIES

We are committed to quality and performance. On offer is a full comprehensive consumer warranty, so you know exactly what is covered.

Masport branded push mowers featuring Briggs & Stratton, Kohler and AL-KO engines receive an industry leading 5 year comprehensive warranty on the entire lawnmower.* Delivering additional confidence and longevity for these lawnmowers.

OUR LAWNMOWER CHASSIS AND PARTS WARRANTIES

We offer you an impressive 10 year warranty on all aluminium chassis. If you prefer a steel chassis you'll enjoy a 5 year warranty.* Both aluminium and steel push mower options come with a 5 year warranty on ALL parts.*

LIFETIME CATCHER WARRANTY

Masport's High Density Polyethylene (HDPE) Plastic Catcher comes with a Lifetime Warranty.

BRIGGS & STRATTON STARTING PROMISE

Briggs & Stratton 500, 600, 700 and 800 series engines include a Starting Promise. If they don't start in line with the starting promise, return it to an authorised Briggs & Stratton engine service agent, and they will fix it for free.*

RapidStart™ engines will always start with a maximum of 5 primes and 4 pulls, or it is fixed for free.*

With ReadyStart™, there's no need to manually prime or choke the engine on your mower, even from a cold start. Now even the least experienced lawnmower user can confidently start their mower. This engine should start on one or two pulls, or it is fixed for free.*

*Conditions apply, see www.masport.co.nz for more information.

FEATURES

Only Authorised Dealers can carry Masport's President® series. They are the experts, advising you on the mower best suited to your needs, lifestyle or budget and deliver the kind of superior after sales service and advice you demand.

MASPORT BLADE SYSTEMS

Masport Quickcut® 2 Swingback Blade System

For superior cutting, mulching and catching performance, Masport mowers are fitted with unique blade cutting systems. The Masport Quickcut® blade is a top quality, specially designed blade system for cutting and mulching.

Masport 2 & 4 Swingback Blade Disc System

This blade system runs 2 or 4 swing back blades suitable for catching and mulching applications and is fitted on selected Masport President® catching and mulching models.

Masport Quadcut® 4 Swingback Blade Disc Cutting System

A specially designed four blade disc system, great for catching due to increased airflow.

Swingback Blade Feature

All these blade systems have a swingback feature, designed to protect the crankshaft from damage should the mower hit a solid object.

WHEELS

Masport's adjustable dual bearing wheels make the mower easy to push, with a threaded axle and nut, the wheels can easily be adjusted if they become loose after significant use. These wheels are made of polyethylene and designed to last. They have been vigorously tested for 600+ hours to ensure quality and durability.

CUTTING HEIGHTS

Push lawnmowers have a range of cut heights, from 10mm -70mm (0.4" - 2.75"). Height can be adjusted in one simple lever movement which is much faster than systems that require each individual wheel to be adjusted.

COMBO 2'N1
Catch and **mulch** options on these mowers.

COMBO 3'N1
These mowers have **catch, mulch & side discharge** options.

MASPORT HANDLE SYSTEMS

PVC Grip

For added comfort during operation

Soft Grip

For superior comfort and less vibration during mowing

One Piece Lower Handle

Reinforced lower 'U' handle for added strength

Two Piece

Stub handle with no middle bar for easy catcher access

A RANGE OF CHASSIS SIZES TO SUIT YOUR NEEDS

High-arch design

Allows airflow created from the blades to draw the grass upwards for multiple cut cycles before flowing into the catcher, creating enhanced mulching and catching performance.

		STEEL	ALUMINIUM
420MM (16.5") CHASSIS	• Smaller cutting chassis for smaller lawns or tricky grass areas • Easy to manoeuvre	• durable steel	
460MM (18") CHASSIS	• High-arch design • Single Mowzone (left side)	• durable steel	• Corrosion free non-rust aluminium • 10 year warranty
485MM (19") CHASSIS	• High-arch design • Wider cutting width • Dual Mowzone®	• 1.6mm durable steel	• Corrosion free non-rust aluminium • 10 year warranty
540MM (21") CHASSIS	• High-arch design • Wider cutting width • Dual Mowzone®	• 2mm heavy duty steel	• Corrosion free non-rust aluminium • 10 year warranty
530MM (21") UTILITY CHASSIS	• Wider cut • Specially designed Side Discharge chassis • Strong and reliable for demanding conditions	• 2mm heavy duty steel	

* Please note, not all mowers in our range contain all of these features

THE PRESIDENT® RANGE

The President® Range is our premium mower series, packed with multiple features making lawnmowing easy.

HANDLE LIFT SYSTEM

The Handle Lift System allows you to quickly and easily access the catcher (or Smartchute® system). Simply step on the foot pedal and lift the handle. Once the handle is returned to the operating position it will lock in firmly, providing responsive handling. The Handle Lift System allows for neat and tidy storage.

SELF PROPELLED

Let the mower do the work. These models are fitted with a self drive system. All you need to do is squeeze the self propelled bail to the handle to propel the mower forward. This reduces pushing effort making mowing quicker and easier!

ZONE START

The conveniently positioned starter cord eliminates the need to bend all the way down to pull-start, reducing the risk of back strain.

REAR DISCHARGE

With the rear discharge chute, the mower can be used effectively without a catcher. It is designed to work with Masport's unique 'high-arch' housing and blade systems which generate great airflow. The grass is spread across the full width of the chute and directed downward.

MASPORT DUAL MOWZONE®

With the blade coverage extending beyond the wheel width on both sides, the mower can cut closer to walls, kerbs, and fences, giving a cleaner finish to your lawn.

MOW N'STOW®

Masport and Briggs & Stratton have designed a concept to make storage easier and more efficient. The Masport crafted exclusive handle system folds upright and then back on itself to create a sturdy base. The Briggs & Stratton designed engine tips backwards up to 110° without any fuel or oil leakage and is completely safe. Mow the grass, stow the mower - save significant shed space!

MULCHING

When you mulch there is less weight to push and no stopping to empty the catcher. The high-arch chassis design and the special blade means it also naturally recycles your grass by re-cutting the clippings and feeding them back into your lawn. You will save on watering and lawn fertilisers, as well as time.

ELECTRIC START

Briggs & Stratton's InStart® & Integrated InStart® lithium-ion electric start engines take the guessing game out of starting your lawnmower. No more priming, choking or pulling the rope. These engines combine the power of petrol and the starting reliability of lithium-ion battery technology.

PRESIDENT® 550 ST S16.5 COMBO

CUT, CATCH, MULCH 565779

STEEL CHASSIS	PUSH	420MM (16.5”)

ENGINE

Powered by AL-KO Series SIX 139cc OHV Auto Choke
4 stroke engine

BUILD

420mm (16.5”) steel chassis
Masport 2 Blade Disc System
HDPE Plastic Catcher
Front 175mm (7”) and Rear 175mm (7”) wheels

HANDLE SYSTEM

Comfortable upturned upper handle
Two piece lower handle for easy catcher access

PRESIDENT® 1000 ST S18 COMBO

CUT, CATCH, MULCH 565977

STEEL CHASSIS	PUSH	460MM (18”)

ENGINE

Powered by AL-KO Series SEVEN IC 159cc OHV Auto Choke
4 stroke engine
Cast iron sleeve in cylinder

BUILD

460mm (18”) heavy duty steel chassis
Masport Quickcut® Blade System
HDPE Plastic Catcher
Front 200mm (8”) and Rear 200mm (8”) adjustable
dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

PRESIDENT® 1500 ST S19 COMBO

CUT, CATCH, MULCH 565978

STEEL CHASSIS	PUSH	485MM (19”)

ENGINE

Powered by Briggs & Stratton 140cc OHV Series™ 500E
RapidStart™ 4 stroke engine

BUILD

485mm (19”) heavy duty steel chassis
Masport Quickcut® Blade System
HDPE Plastic Catcher
Front 200mm (8”) and Rear 200mm (8”) adjustable
dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

PRESIDENT® 1500 AL S18 COMBO AL-KO

CUT, CATCH, MULCH 565979

ALLOY CHASSIS	PUSH	460MM (18”)

ENGINE

Powered by AL-KO Series SEVEN IC 159cc OHV Auto Choke
4 stroke engine
Cast iron sleeve in cylinder

BUILD

460mm (18”) heavy duty aluminium non rust chassis
Masport Quickcut® Blade System
HDPE Plastic Catcher with ‘full’ indicator
Front 200mm (8”) and Rear 200mm (8”) adjustable
dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

PRESIDENT® 2000 AL S18 COMBO

CUT, CATCH, MULCH 565876

ALLOY CHASSIS	PUSH	460MM (18”)

ENGINE

Powered by Briggs & Stratton 140cc OHV Series™ 500E
RapidStart™ 4 stroke engine

BUILD

460mm (18”) heavy duty aluminium non rust chassis
Masport Quickcut® Blade System
HDPE Plastic Catcher with ‘full’ indicator
Front 200mm (8”) and Rear 200mm (8”) adjustable
dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down



PRESIDENT® 2000 AL S18 COMBO ELECTRIC START

CUT, CATCH, MULCH 565877

ALLOY CHASSIS	PUSH	460MM (18”)

ENGINE

Powered by Briggs & Stratton 140cc OHV Series™ 550ISI
Integrated InStart® 4 stroke engine

BUILD

460mm (18”) heavy duty aluminium non rust chassis
Masport Quickcut® Blade System
HDPE Plastic Catcher with ‘full’ indicator
Front 200mm (8”) and Rear 200mm (8”) adjustable
dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

PRESIDENT® 2500 AL S18 COMBO

CUT, CATCH, MULCH 578724

ALLOY CHASSIS	PUSH	460MM (18”)

ENGINE

Powered by Briggs & Stratton 140cc OHV Series™ 575EX
ReadyStart™ 4 stroke engine

BUILD

460mm (18”) heavy duty aluminium non rust chassis
Masport 4 Blade Disc System
HDPE Plastic Catcher with ‘full’ indicator
Front 200mm (8”) and Rear 200mm (8”) adjustable
dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Handle Lift System for easy catcher removal and storage

PRESIDENT® 3500 AL S18 COMBO

CUT, CATCH, MULCH 565945

ALLOY CHASSIS	PUSH	460MM (18”)

ENGINE

Powered by Briggs & Stratton 161cc Series™ DOV® ReadyStart™ 4 stroke engine

BUILD

460mm (18”) heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with ‘full’ indicator
Front 200mm (8”) and Rear 200mm (8”) adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Handle Lift System for easy catcher removal and storage

PRESIDENT® 4000 AL S19 COMBO

CUT, CATCH, MULCH 565991

ALLOY CHASSIS	PUSH	485MM (19”)

ENGINE

Powered by Honda 201cc OHV Series GCV200 Auto Choke 4 stroke engine

BUILD

485mm (19”) heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with ‘full’ indicator
Front 200mm (8”) and Rear 200mm (8”) adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

PRESIDENT® 5000 AL S19 COMBO IC

CUT, CATCH, MULCH 564740

ALLOY CHASSIS	PUSH	485MM (19”)

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 850 Professional I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

BUILD

485mm (19”) heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with ‘full’ indicator
Front 200mm (8”) and Rear 200mm (8”) adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Handle Lift System for easy catcher removal and storage

PRESIDENT® 6000 AL S21 3'N1

CUT, CATCH, MULCH, REAR DISCHARGE 565948

ALLOY CHASSIS	PUSH	540MM (21")

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 875
ReadyStart™ 4 stroke engine

BUILD

540mm (21") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Large capacity Commercial Dacron Catcher with dust cover
Front 200mm (8") and Rear 200mm (8") adjustable
dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

5 YEAR WARRANTY LAWNMOWER ENGINE
5 YEAR WARRANTY LAWNMOWER PARTS*
10 YEAR WARRANTY ALLOY HOUSING

MULCH · ZONE START · MASPORT QUADCUT BLADE SYSTEM · NON RUST ALLOY · REAR DISCHARGE

WIDER CUT · DUAL MOWZONE · WASHPORT

PRESIDENT® 2000 ST S18 EZI-DRIVE SP

CUT, CATCH, MULCH 565812

STEEL CHASSIS	SELF-PROPELLED	460MM (18")

ENGINE

Powered by Briggs & Stratton 140cc OHV Series™ 500E
RapidStart™ 4 stroke engine

BUILD

460mm (18") heavy duty steel chassis
Masport 4 Blade Disc System
HDPE Plastic Catcher
Front 175mm (7") and Rear 200mm (8") adjustable
mono bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

* 2 year transmission warranty

5 YEAR WARRANTY LAWNMOWER ENGINE
5 YEAR WARRANTY STEEL HOUSING & PARTS*
LIFETIME WARRANTY HDPE PLASTIC CATCHER

MULCH · 4 BLADE DISC SYSTEM · SELF PROPELLED

PRESIDENT® 6000 AL S21 SPV 3'N1 IC

CUT, CATCH, MULCH, REAR DISCHARGE 564846

ALLOY CHASSIS	SELF-PROPELLED	540MM (21")

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 850
Professional I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

BUILD

540mm (21") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Large capacity Commercial Dacron Catcher with dust cover
Front 200mm (8") and Rear 220mm (9") deep tread adjustable
dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

* 2 year transmission warranty

5 YEAR WARRANTY LAWNMOWER ENGINE
5 YEAR WARRANTY LAWNMOWER PARTS*
10 YEAR WARRANTY ALLOY HOUSING

MULCH · ZONE START · MASPORT QUADCUT BLADE SYSTEM · NON RUST ALLOY · REAR DISCHARGE · SELF PROPELLED · WIDER CUT · WASHPORT

MULCHERS

Mulching or side discharge, the Time Saver series gets the job done faster without the hassle of catching.

2’N1 TIME SAVER - SERIES 6

MULCH, SIDE DISCHARGE

572865

STEEL CHASSIS	PUSH	460MM (18”)

ENGINE

Powered by AL-KO Series SIX 139cc OHV Auto Choke
4 stroke engine

BUILD

460mm (18”) heavy duty steel chassis
Masport Mulching Blade System
Front 200mm (8”) and Rear 200mm (8”) adjustable mono bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle
Reinforced lower handle for added strength

Side Discharge Outlet
Chute included

2’N1 TIME SAVER - DOV

MULCH, SIDE DISCHARGE

572866

STEEL CHASSIS	PUSH	460MM (18”)

ENGINE

Powered by Briggs & Stratton 161cc Series™ 750 DOV®
ReadyStart™ 4 stroke engine

BUILD

460mm (18”) heavy duty steel chassis
Masport Mulching Blade System
Front 200mm (8”) and Rear 200mm (8”) adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

Side Discharge Outlet
Chute included

PRO POWER SERIES

Premium range of mowers powered by professional grade engines

PRO POWER AL 196 S19 2’N1

CUT, CATCH, MULCH 565909

ALLOY CHASSIS	PUSH	485MM (19”)

ENGINE

Powered by AL-KO Series NINE IC 196cc OHV Auto Choke 4 stroke engine
Cast iron sleeve in cylinder

BUILD

485mm (19”) heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Masport Dual Mowzone® for edge to edge cutting
HDPE Plastic Catcher with ‘full’ indicator
Front 200mm (8”) and Rear 200mm (8”) adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Zone start for comfortable starting position

PRO POWER AL S19 2’N1 850 IC

CUT, CATCH, MULCH 565888

ALLOY CHASSIS	PUSH	485MM (19”)

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 850 Professional I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

BUILD

485mm (19”) heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Masport Dual Mowzone® for edge to edge cutting
HDPE Plastic Catcher with ‘full’ indicator
Front 200mm (8”) and Rear 200mm (8”) adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Zone start for comfortable starting position

PRO POWER AL S19 850 IC SP 2’N1

CUT, CATCH, MULCH 565828

ALLOY CHASSIS	SELF-PROPELLED*	485MM (19”)

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 850 Professional I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

BUILD

485mm (19”) heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with ‘full’ indicator
Front 200mm (8”) and Rear 220mm (9”) adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Zone start for comfortable starting position

* 2 year transmission warranty

PRO POWER AL S21 224 IC SPV 3’N1

CUT, CATCH, MULCH, REAR DISCHARGE 565939

ALLOY CHASSIS	SELF-PROPELLED*	540MM (21”)

ENGINE

Powered by AL-KO Series TEN IC 224cc OHV Auto Choke 4 stroke engine
Cast iron sleeve in cylinder

BUILD

540mm (21”) heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Large capacity Commercial Dacron Catcher with dust cover
Front 200mm (8”) and Rear 220mm (9”) deep tread adjustable dual bearing wheels
Zone start for comfortable starting position

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

* 2 year transmission warranty

CONTRACTOR SERIES

BUILT TOUGH, MADE TO LAST

Great gardens and professional looking landscapes demand equipment that is hardworking and reliable.

GT AGILITY PRO 3 SPEED COMMERCIAL TRANSMISSION*

A commercial grade, all metal, constant mesh, oil lubricated, cone clutch gearbox featuring precision bearings to the shafts. Designed for commercial applications, it provides reliability and durability. Ground speeds at 3200rpm are: 1st - 3.74 km/h, 2nd - 5.11 km/h, 3rd - 6.63 km/h, providing the perfect speed-to-job ratio demanded by contractors and homeowners with large yards.

* Self Propelled models only

PROFESSIONAL CAST ALUMINIUM WHEELS & PRECISION BEARINGS*

Professional grade, heavy duty, cast aluminium 8" front & 9¼" rear wheels with synthetic rubber tyres are extremely tough and are designed to operate under commercial conditions.

Each wheel is complemented by dual 6202 precision sealed bearings, making the mower easy to push, virtually maintenance free and long lasting.

*540mm (21") models only

STEEL REAR DISCHARGE CHUTE

Designed to work without a catcher or mulch plug, the rear discharge chute will spread the grass across the full width of the chute and direct the cut grass toward the ground. This allows the user to mow at any height without the need to stop mowing to empty a catcher, reducing mowing time and running costs, plus recycling the cut grass.

LARGE CAPACITY DACRON CATCHER

The double lined Dacron catcher with dust cover holds 80L. The fabric catcher improves airflow maintaining catching performance, while the dust cover directs airflow downwards, reducing dust updraft for the operator.

BOLT IN AXLES

The front axle is held firmly in place with steel bearing plates bolted directly to the chassis, which also securely retains the plastic axle pivot bush tight. The rear axle is bolted directly to the chassis through the rear bearing chassis, providing a strong fix to the mower.

BUMPERS

A front bumper and engine guard offer protection to the cutting chassis, front axle and engine. These bumpers also provide a valuable lifting handle and tie down point to secure the mower.

ROBUST HANDLES & HEAVY DUTY CONTROLS & CABLES

Large diameter and heavier gauge upper and lower handles withstand the heavy forces applied to provide extra durability. The lower handle has additional bracing, reducing any lateral movement.

The heavy duty control and cables are extremely robust and resilient to breakage and wear, providing greater longevity.

WARRANTY

DOMESTIC

5 Year Mower parts & Gearbox
5 Year Briggs & Stratton 850 Professional engine
3 Year Kawasaki engine
3 Year Honda engine

COMMERCIAL

1 Year Mower parts & Gearbox
2 Year Briggs & Stratton 850 Professional engine
3 Year Kawasaki engine
3 Year Honda engine

CONTRACTOR AL S19 3'N1

CUT, CATCH, MULCH, REAR DISCHARGE 565964

ALLOY CHASSIS | PUSH | 485MM (19")

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 850
Professional I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

BUILD

485mm (19") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Large Capacity Commercial Dacron Catcher with dust cover
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Masport Dual Mowzone® for edge to edge cutting

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Robust lower handle with additional bracing for extra durability
3 position handle locking system for different height settings
Zone start for comfortable starting position

CONTRACTOR® ST S21 3'N1 SP B&S

CUT, CATCH, MULCH, REAR DISCHARGE 564929

STEEL CHASSIS | SELF-PROPELLED | 540MM (21")

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 850
Professional I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

BUILD

540mm (21") deep draw heavy duty steel chassis
Masport Quadcut® Blade Disc System
Large capacity Commercial Dacron Catcher with dust cover
Large wide diameter professional grade heavy duty cast aluminium Front 200mm (8") and Rear 225mm (9") wheels with synthetic rubber tyres and precision 6202 sealed ball bearings

HANDLE SYSTEM

Comfortable and sturdy upturned upper handle with soft grip
Large diameter and heavier gauge steel tube
Robust lower handle with additional bracing for extra durability
3 position handle locking system for different height settings
Zone start for comfortable starting position

CONTRACTOR® ST S21 3'N1 SP HONDA

CUT, CATCH, MULCH, REAR DISCHARGE 565930

STEEL CHASSIS | **SELF-PROPELLED** | 540MM (21")

ENGINE

Powered by Honda 163cc OHV Series GXV160 4 stroke engine
Cast iron sleeve in cylinder

BUILD

540mm (21") deep draw heavy duty steel chassis
Masport Quadcut® Blade Disc System
Large capacity Commercial Dacron Catcher with dust cover
Large wide diameter professional grade heavy duty cast aluminium Front 200mm (8") and Rear 225mm (9") wheels with synthetic rubber tyres and precision 6202 sealed ball bearings
Zone start for comfortable starting position

HANDLE SYSTEM

Comfortable and sturdy upturned upper handle with soft grip
Large diameter and heavier gauge steel tube
Robust lower handle with additional bracing for extra durability
3 position handle locking system for different height settings
Zone start for comfortable starting position

CONTRACTOR® ST S21 3'N1 SP BBC HONDA

CUT, CATCH, MULCH, REAR DISCHARGE 565735

STEEL CHASSIS | **SELF-PROPELLED** | 540MM (21")

ENGINE

Powered by Honda 163cc OHV Series GXV160 4 stroke engine
Cast iron sleeve in cylinder

BUILD

540mm (21") deep draw heavy duty steel chassis
Masport Quadcut® Blade Disc System
Large capacity Commercial Dacron Catcher with dust cover
Large wide diameter professional grade heavy duty cast aluminium Front 200mm (8") and Rear 225mm (9_") wheels with synthetic rubber tyres and precision 6202 sealed ball bearings
Blade Brake Clutch (BBC) allows you to disengage the rotation of the mower blades without the loss of drive or having to stop the engine

HANDLE SYSTEM

Comfortable and sturdy upturned upper handle with soft grip
Large diameter and heavier gauge steel tube
Robust lower handle with additional bracing for extra durability
3 position handle locking system for different height settings
Zone start for comfortable starting position



HANDMOWERS

This premium hand mower, constructed in heavy-duty steel is fully adjustable. The heavy-weight cast alloy wheels fitted with solid rubber tyres provide remarkable traction, unseen on other hand mowers. Heat treated 6 blade alloy-steel cutting cylinder and bottom blade cut the lawn cleanly, much like a pair of scissors, delivering a manicured professional looking finish which will be the envy of your neighbours.

CLEVELAND 18"

552803

- 13mm - 56mm cutting range
- 460mm (18") cutting width
- Heat treated alloy steel 6 blade cutting cylinder and bottom blade.
- Resharpenable blades ensure continuous and precise cutting and a long working life.
- Comfortable T-Style handle with cushion grips
- Robust Fabric Catcher included
- 9" Cast Alloy wheels with solid rubber tyres
- Strong steel drive pinions
- 2 Year Warranty

ELECTRIC MOWERS

The Masport Electric Mower is an easier way to mow the smaller lawn - no fuel to mix, just plug it in and mow.

ELECTRIC MOWER

553238

- Powerful 1800 watt motor gives the mower enough power to tackle a small to medium sized lawn
- 420mm (16.5") cutting width
- Ergonomic height adjustable upturned handle with PVC grip
- Large 50 litre, fan assisted catcher
- 2 Year Warranty

CYLINDER MOWERS

Great for helping to create a bowling green look to be the envy of the neighborhood.

400 RRR

019108

- Powered by Briggs & Stratton 127cc OHV Series 550 IC horizontal shaft engine
- 405mm (16”) cutting width
- Centrifugal clutch reel engagement
- Standard cut: 124 per metre
- 7 - 30mm cutting height
- Steel 6 blade cutting reel
- 50 litre HDPE plastic catcher
- Single bail drive system
- 205mm diameter rubber lined split steel rear roller
- Comfortable upturned upper handle with PVC grip
- 2 Year Warranty

500L RRR

019115

- Powered by Loncin 196cc OHV engine
- 505mm (20”) cutting width
- Centrifugal clutch reel engagement
- Standard cut: 124 per metre
- 7 - 30mm cutting height
- Steel 6 blade cutting reel
- 70 litre HDPE plastic catcher
- Single bail drive system
- 205mm diameter rubber lined split steel rear roller
- Comfortable upturned upper handle with PVC grip
- 2 Year Warranty

500 RRR

019109

- Powered by Briggs & Stratton 127cc OHV Series 550 I/C® horizontal shaft engine
- 505mm (20”) cutting width
- Centrifugal clutch reel engagement
- Standard cut: 124 per metre
- 7 - 30mm cutting height
- Steel 6 blade cutting reel
- 70 litre HDPE plastic catcher
- Single bail drive system
- 205mm diameter rubber lined split steel rear roller
- Comfortable upturned upper handle with PVC grip
- 2 Year Warranty

500 RRR

019113

- Powered by Briggs & Stratton 163cc OHV 5.0HP I/C engine 505mm (20”) cutting width
- Centrifugal clutch reel engagement
- Standard cut: 124 per metre
- 7 - 30mm cutting height
- Steel 6 blade cutting reel
- 70 litre HDPE plastic catcher
- Single bail drive system
- 205mm diameter rubber lined split steel rear roller
- Comfortable upturned upper handle with PVC grip
- 2 Year Warranty

500 GOLF

019111

- Powered by Briggs & Stratton 163cc OHV 5.0HP I/C engine
- 505mm (20”) cutting width
- Centrifugal clutch reel engagement
- Standard cut: 207 per metre
- 4 - 30mm cutting height
- Steel 10 blade cutting reel
- 70 litre HDPE plastic catcher
- Single bail drive system
- 195mm diameter split steel rear roller
- Comfortable upturned upper handle with PVC grip
- 2 Year Warranty

660 RRR

019114

- Powered by Briggs & Stratton 163cc OHV 5.0HP I/C engine 670mm (26”) cutting width
- Centrifugal clutch reel engagement
- Standard cut: 124 per metre
- 7 - 30mm cutting height
- Steel 6 blade cutting reel
- 82 litre HDPE plastic catcher
- Single bail drive system
- 205mm diameter rubber lined split steel rear roller
- Comfortable upturned upper handle with PVC grip
- 2 Year Warranty

THE NEW MASPORT CHIPPER IS HERE.

The Masport MC900 premium chipper is the perfect solution for maintaining your garden, home or lifestyle block. The large self feeding hopper safely lets branches up to 70mm pass through the machine with ease. The powerful engine, combined with the 3-blade cutting disk, quickly turn branches into easy to manage mulch. Three fan blades on the flywheel produce powerful airflow that effortlessly discharges the mulch. The high discharge outlet allows to be guided directly into a trailer, wheelie bin, or the garden bed.

Product may differ slightly from pictured.

Optional accessories

- Chipper Collection Bag
- Tow Hitch Kit

MC900 CHIPPER BRIGGS & STRATTON XR950

BIO2034

- Powerful 6.5HP 208cc Briggs & Stratton XR950 pull start engine.
- Three special tool steel chipping blades provide a fine chip that's perfect for composting.
- Twin belt drive system.
- Safety lockout mechanism to safely immobilise the cutting disc while changing the blades.
- The larger wheel design makes for easier transportation and manoeuvrability.
- Optional chipper collection bag is available to neatly collect discharged mulch for convenient placement or disposal.
- Adjustable deflector on the 1270mm high discharge chute allows users to direct chips where required.
- Large flywheel provides a large amount of stored kinetic energy for enhanced cutting performance.
- 4 Year Warranty*

*Engine is protected by the engine manufacturer warranty

MC900 CHIPPER HONDA GX200

BIO2033

- Powerful 5.5HP 196cc Honda GX200 pull start engine.
- Three special tool steel chipping blades provide a fine chip that's perfect for composting.
- Twin belt drive system.
- Safety lockout mechanism to safely immobilise the cutting disc while changing the blades.
- The larger wheel design makes for easier transportation and manoeuvrability.
- Optional chipper collection bag is available to neatly collect discharged mulch for convenient placement or disposal.
- Adjustable deflector on the 1270mm high discharge chute allows users to direct chips where required.
- Large flywheel provides a large amount of stored kinetic energy for enhanced cutting performance.
- 4 Year Warranty*

*Engine is protected by the engine manufacturer warranty

MC900 CHIPPER HONDA GX200 ELECTRIC START

BIO2036

- Powerful 5.5HP 196cc Honda GX200 electric start engine.
- Three special tool steel chipping blades provide a fine chip that's perfect for composting.
- Twin belt drive system
- Safety lockout mechanism to safely immobilise the cutting disc while changing the blades.
- The larger wheel design makes for easier transportation and manoeuvrability.
- Optional chipper collection bag is available to neatly collect discharged mulch for convenient placement or disposal.
- Adjustable deflector on the 1270mm high discharge chute allows users to direct chips where required.
- Large flywheel provides a large amount of stored kinetic energy for enhanced cutting performance.
- 4 Year Warranty*

*Engine is protected by the engine manufacturer warranty

Product may differ slightly from pictured.

CHIPPER SHREDDER LONCIN

BIO2027

- Powered by Loncin 5.5HP 196cc OHV engine
- Double chipper blades
- Larger branches can be fed through the 50mm x 50mm side chute
- 9 flail hammer blades
- Weeds and other garden materials are reduced to a fine mulch so they can't regenerate
- Large wheels and hopper handle for manoeuvrability
- Bar grate which is designed to avoid clogging with damp leaves and foliage is available as an optional extra
- V-Belt drive system
- 4 Year Warranty*

Optional Bar Grate

CHIPPER SHREDDER BRIGGS & STRATTON

BIO2021

- Powerful 6.0HP 205cc OHV I/C Briggs & Stratton engine
- Double chipper blades
- Larger branches can be fed through the 50mm x 50mm side chute
- 9 flail hammer blades
- Weeds and other garden materials are reduced to a fine mulch so they can't regenerate
- Large wheels and hopper handle for manoeuvrability
- Bar grate which is designed to avoid clogging with damp leaves and foliage is included
- V-Belt drive system
- 4 Year Warranty*

Bar Grate Included

CHIPPER SHREDDER HONDA

BIO2026

- Powerful 4.8HP 163cc Honda GX160 engine
- Double chipper blades
- Larger branches can be fed through the 50mm x 50mm chipper chute
- 9 flail hammer blades
- Weeds and other garden materials are reduced to a fine mulch so they can't regenerate
- Large wheels and hopper handle for manoeuvrability
- Bar grate which is designed to avoid clogging with damp leaves and foliage is available as an optional extra
- V-Belt drive system
- 4 Year Warranty*

Optional Bar Grate

*Engine is protected by the engine manufacturer warranty

*Engine is protected by the engine manufacturer warranty

OUTDOOR POWER EQUIPMENT

7 TONNE LOG SPLITTER

552608

- 2300W, 230V motor
- Simple to operate and maintain
- Electric power means less noise and no fumes
- Can also be used indoors or in covered areas
- 320mm (12 1/2") max log diameter
- 520mm (20") max log length
- Hydraulic 7 tonne ram return is spring loaded making resetting for the next log fast and easy
- Splits most logs in less than 12 seconds
- Rugged wide-stance design provides stability
- Wheels for portability
- 4 way splitting attachment included
- 2 Year Warranty

4 way splitting attachment

5 TONNE LOG SPLITTER, KINETIC

552882

- 1500W, 240V motor
- Simple to operate and maintain
- Electric power means less noise and no fumes
- Can also be used indoors or in covered areas
- 280mm (11") max log diameter
- 400mm (16") max log length
- The ram return is spring loaded making resetting for the next log fast and easy
- Splits most logs in less than 2 seconds
- Rugged wide-stance design provides stability
- Wheels for portability
- 2 Year Warranty

8 TONNE LOG SPLITTER, KINETIC

553001

- 1600W, 240V motor
- Simple to operate and maintain
- Electric power means less noise and no fumes
- Can also be used indoors or in covered areas
- 350mm (13.75") max log diameter
- 520mm (20.5") max log length
- The ram return is spring loaded making resetting for the next log fast and easy
- Splits most logs in less than 2 seconds
- Rugged wide-stance design provides stability
- Wheels for portability
- 2 Year Warranty

PETROL EDGER - LONCIN

550919

- Powered by Loncin 80cc horizontal shaft OHV engine
- Ten position height control and large cutting range allows for different height settings for a variety of purposes
- Cutting Range: 2cm above ground to 6cm below ground
- 240mm (9.5”) Bar Blade
- Fold down handles are designed for convenient storage
- OPC controls for added safety that contains “lockout” feature to prevent accidental operation
- Single lever height control system adjustable from operating position
- 150mm (6”) front and 200mm (8”) rear ball bearing wheels
- 4 Year Warranty*

PETROL EDGER - B&S

550913

- Powered by Briggs & Stratton 127cc OHV Series 550 I/C horizontal shaft engine
- Ten position height control and large cutting range allows for different height settings for a variety of purposes
- Cutting Range: 2cm above ground to 6cm below ground
- 240mm (9.5”) Bar Blade
- Fold down handles are designed for convenient storage
- OPC controls for added safety that contains “lockout” feature to prevent accidental operation
- Single lever height control system adjustable from operating position
- 150mm (6”) front and 200mm (8”) rear ball bearing wheels
- 4 Year Warranty*

*Engine is protected by the engine manufacturer warranty



Product may differ slightly from pictured.

4 WAY HOME GARDENER

550905

- Powered by Briggs & Stratton 127cc OHV Series 550 I/C horizontal shaft engine
- Sturdy shaft drive with worm-drive gearbox transmission
- 280mm (11”) tilling width without outside tines
- 430mm (17”) tilling width standard
- Lightweight - 46.3kg
- Simple controls and rugged construction
- Comes with tines, garden aerator, lawn edger and cleaning brush
- 4 Year Warranty*

Aerator

Lawn Edger

Cleaning Brush

Tines

WARRANTY AND DISCLAIMER INFORMATION:

All Masport products carry a manufacturer's warranty. Please refer to your warranty card supplied with each product for details and conditions for specific models.

This brochure supersedes all previous Masport Lawn & Garden range brochures. Product specification, colours and prices are subject to change without prior notification. Not all models may be stocked at all stores. Whilst care has been taken in the preparation of this document, Masport is constantly improving and updating its product range, therefore model specifications may vary and should be checked at time of purchase.

Masport products are covered by the following design registrations:

405399, 407916, 407917, 411355, 411354, 417631, 418171,
407915, 407913, 411353, 414788, 414789, 414790, 414791, 414792,
and patents: 330634, 570911, 589942/590235, 605098, 605114.

Masport Limited New Zealand

320 Ti Rakau Drive, East Tamaki,
PO Box 14-349, Panmure,
Auckland 2013.

P: 0800 MASPORT
Fax: 0508 570 570
Email: csnz@masport.co.nz
Web: www.masport.co.nz

Certified Product™ Australian Standard AS2657 SMKB22104

Telarc. Registered™ Quality ISO 9001

The '5 Tick' certification applies specifically to petrol powered rotary lawnmowers within this document.

Order# 543703

PRESIDENT®
EXCLUSIVE TO STIHL SHOP

STIHL SHOP®